Time-tested quality

PRODUCT CATALOGUE

Products for interior finishing

EXPORT / 2016

Decoplast company has been operating in the market of finishing materials for home and office decoration since 1999.

The company's main direction is production and wholesale of finishing materials. Our dealer system is successfully operating in all regions of Russia, CIS and European countries.

Decoplast is a dynamically developing company. We keep in touch with the market trends and constantly add new products to our range.

We focus on a wide range and large supplies and keep up the status of a reliable supplier.

While working we have gained the reputation of a responsible and reliable partner.

The company owns a plant, which produces finishing materials. The plant is equipped with modern, fully automated production lines of world known brands, such as MIKROSAN (Turkey), HAITIAN (Taiwan), Atlas Corpo (Sweden), Spitzenreiter.

The company also owns a transport fleet of various load capacities which allows us to sort out any delivery problems flexibly and quickly.



CONTENTS

Floor skirting «60 DP MK» 3
Floor skirting «85 DKK MK» 6
Floor skirting «Ecoline» 8
Foamed PVC finishing decorative profile (trimmer) 11
Finishing decorative profile with cable-conduit (trimmer) 12
Programme 14 (profiles for furniture and walls) 13
Collection of profiles «Vostok» 15
General construction profiles 17
Decorative protective corners 20
Floor decorative rosettes 21
PVC radiator grills «LUX» 22
Laminate and parquet board padding 23
Crown molding 24
Ceiling rosettes 27
Decorative pilasters and columns 28
Multifunction polymer adhesive 28
PVC panels «Mosaic» 29
Decorative interior panels 31
Trading equipment and product samples 33

FLOOR SKIRTING «60 DP MK»

3-layer varnish coating produces 3D effect and secures the skirting from damage.
Improved construction allows to paint walls and change wallpapers without dismantling the skirting.

		Package size
2,5 m	40 pcs/pack	251 x 20 x 11 sm



▸ FITTINGS FOR FLOOR SKIRTING 60 DP MK / SEMI-MATT

External corner

Internal corner

Connection

Plugs

	x 2	x 50	Package size
	25 packs/box	2 packs/box	20 x 15 x 15 sm
	25 packs/box	2 packs/box	20 x 15 x 15 sm
	25 packs/box	2 packs/box	20 x 15 x 7 sm
	25 packs/box	2 packs/box	20 x 15 x 7 sm
	50 packs/box	x	x

Color scheme for floor skirting 60 DP MK / semi-matt

▸ FITTINGS FOR FLOOR SKIRTING 60 DP MK / GLOSSY



External corner + bracket

Internal corner

Connection

Plugs

	x 2	x 50	Package size
	25 packs/box	2 packs/box	20 x 15 x 15 sm
	25 packs/box	2 packs/box	20 x 15 x 15 sm
	25 packs/box	2 packs/box	20 x 15 x 7 sm
	25 packs/box	2 packs/box	20 x 15 x 7 sm
	50 packs/box	x	x

Color scheme for skirting 60 DP MK / glossy

FLOOR SKIRTING 85 DKK MK

The skirting has a double built-in increased cable conduit suitable for rewiring at any moment without dismantling the skirting itself. Soft edge of the skirting bears against the wall surface replicating the relief and prevents gaps between the wall and the skirting.

		Package size
2,5 m	20 pcs/pack	251 x 20 x 11 sm





▸ FITTINGS FOR SKIRTING 85 DKK MK

External corner + bracket

Internal corner

Connection

Plugs

	x 2	x 50	Package size
	25 packs/box	2 packs/box	20 x 15 x 15 sm
	25 packs/box	2 packs/box	20 x 15 x 15 sm
	25 packs/box	2 packs/box	20 x 15 x 7 sm
	25 packs/box	2 packs/box	20 x 15 x 7 sm
	50 packs/box	x	x

Color scheme for skirting 85 DKK MK

FLOOR SKIRTING ECOLINE

Floor skirting Ecoline has an assembling optimal size (50*23 mm) and a robust keyed part of the cable conduit. Skirting colors match the most popular laminate and linoleum colors. Soft edge of the skirting bears against the wall surface, replicating the relief and prevents gaps between the wall and the skirting. Overlap angle between the wall and the floor makes 25 mm after installation. The skirting is easy to install by means of screw-driver or electronic tools.

		Package size
2,5 m	45 pcs/pack	251 x 20 x 11 см

▸ FITTINGS FOR SKIRTING ECOLINE

External corner

Internal corner

Connection

Plugs

	x 2	x 50	Package size
	25 packs/box	2 packs/box	20 x 15 x 15 sm
	25 packs/box	2 packs/box	20 x 15 x 15 sm
	25 packs/box	2 packs/box	20 x 15 x 7 sm
	25 packs/box	2 packs/box	20 x 15 x 7 sm
	50 packs/box	x	x

Color scheme for Ecoline skirting



FOAMED PVC FINISHING PROFILE (TRIMMER)

The profile is designed for interior and exterior finishing and is best suited for decorating gaps when installing doors and windows or decorating radiator grills, edging, frames, etc. The profile package is 5 units in stretch film, euro-box contains 7 packages, which provides safety of goods in transportation, storage and layout. It also provides comfort for the end consumers. The profile is available for retail sale in a 5 pieces set.

		Package size
2,2 m	35 pcs/pack	225 x 21 x 12 sm

Color scheme for PVC trimmer



FINISHING PROFILE WITH CABLE-CONDUIT (TRIMMER)

Door trimmer with a special system of internal installation represents a figure plank for window and doorway framing as well as for any aperture decorating. Compared with traditional trimmer, the profile with a cable –conduit has a great advantage –facility to run telephone, computer, and electricity cables. This conceals the non-aesthetic cable tangle and provides additional isolation and protection against external damage. Hidden intertwining makes possible invisible trimmer installation.

Field of application:

- The profile allows to easily hide a big amount of wires
- Rich color scheme allows to choose a trimmer matching any furniture and interior decoration
- Multiple use in offices in the points of contact of the back of the rotating chair with a wall
- Possible to use as a floor cable-conduit in places with low customer traffic

		Package size
2,2 m	5 pcs/pack	222 x 7 x 7 sm

Color scheme for profile with cable-conduit

«PROGRAMME 14» PROFILES FOR WALLS AND FURNITURE

Collection of profiles for interior finishing is designed to conceal gaps and junctions when assembling furniture boards, MDF panels, balcony finishing, decorating niches, arches and other elements. Wide field of application makes the profiles irreplaceable for the decoration process and in furniture assembling.

▸ FOAMED CORNER

Designed for decorative corner finishing including doorways and windows. Ribbed inside surface provides tight adhesion.

		Package size
2,75 m	25 pcs/pack	275x8x7 sm

▸ UNIVERSAL PROFILE (BEAD)



Used for decorative finishing of indoor internal corners, for decorating staircases, door jambs, interior corners finished by plastic and MDF panels, wood and tiles.

		Package size
2,75 m	25 pcs/pack	275x8x5 sm

▸ CORNER 3/4

Used for decoration of external indoor corners, pointed corners in children's rooms. Ribbed inside surface provides tight adhesion.

		Package size
2,75 m	20 pcs/pack	275x8x8 sm

▸ UNIVERSAL DECORATIVE INTERNAL CORNER



Used for finishing indoor internal corners of any geometry. Protects and decorates the corner. Corner package equipped with Euro Hang Tab is suitable for retail shops and takes little space.

2,75 m/roll	10 pcs/pack 31,5x19,5x27,5 sm	25 m/roll	5 pcs/pack 4,3x27,2x300 sm

▸ FINISHING T-PROFILE

Used for interior finishing in sheet jump joint (chipboard panels, MDF, PVC).

		Package size
2,75 m	25 pcs/pack	275x4x4 sm

▸ INTERNAL FOAMED PROFILE «22» (FILLET)

Designed for decoration of internal corners in multi- purpose rooms. Also used for finishing internal corners between wall and ceiling, wall and tabletop, and between walls.

		Package size
2,75 m	25 pcs/pack	275x4x7 sm

▸ C-SHAPED PVC-FIRM FURNITURE EDGE

Used for chipboard end-face lining. Protects from moisture and mechanical damage. Provides high-class strength and wear-resistance.

		Package size
2,75 m	25 pcs/pack	275x10x4 sm

▸ C-SHAPED PVC-SOFT FURNITURE EDGE

Used for chipboard end-face lining. Protects from moisture and mechanical damage. Provides high-class strength and wear-resistance.

5 m/roll	5 pcs/pack 31,5x19,5x27,5 cm	10 m/roll	22 pcs/pack 42x24x27,5 sm

Color scheme for «Programme 14»



COLLECTION OF PROFILES «VOSTOK»

Collection of profiles «Vostok» for interior finishing is designed to conceal gaps and junctions when assembling furniture boards, MDF panels, balcony finishing, decorating niches and other elements. Wide field of application makes the profiles irreplaceable for the decoration process and in furniture assembling.

▸ FOAMED CORNER

Designed for decorative corner finishing including doorways and windows. Ribbed inside surface provides tight adhesion.

		Package size
2,75 m	25 pcs/pack	275x8x7 sm

▸ UNIVERSAL PROFILE (BEAD)

Used for decorative finishing of indoor internal corners, for decorating staircases, doorjambs, interior internal corners finished by plastic and MDF panels, wood and tiles.

		Package size
2,75 m	25 pcs/pack	275x8x5 sm

▸ INTERNAL FOAMED PROFILE «22» (FILLET)

Designed for decoration of internal corners in multi- purpose rooms. Also used for finishing internal corners between wall and ceiling, wall and tabletop, and between walls.

		Package size
2,75 m	25 pcs/pack	275x4x7 sm

▸ CORNER 3/4



Used for decoration of external indoor corners, pointed corners in children's rooms. Ribbed inside surface provides tight adhesion.

		Package size
2,75 m	20 pcs/pack	275x8x8 sm

▸ DECORATIVE FINISHING PROFILE (TRIMMER)

The profile is designed for interior and exterior finishing. It is best suited for decorating gaps during doors and window installation, in decoration radiator grills, edging, frames, etc.

		Package size
2,2 m	35 pcs/pack	225x21x12 sm

Color scheme for foamed corner

Color scheme for universal profile (bead)

Color scheme for internal foamed profile «22» (fillet)



Color scheme for 3/4 corner



Color scheme for decorative finishing profile (trimmer)

GENERAL CONSTRUCTION PROFILES

▸ L-PROFILE «LUX»

Start-and-finish profile for finishing joint places of panels with doorway and window apertures, panel end faces and for finishing window jambs.



		Package size
3 m	25 pcs/pack	301x1,4x4,5 sm

▸ F-PROFILE «LUX»

Multi-purpose profile for edging end-face corners of HDF, MDF, PVC panels, sandwich panels, shift-over from wall panels to ceiling panels, in window and doorway finishing.



	60 mm	35 mm	Package size
3 m	15 pcs/pack	20 pcs/pack	301x1,4x4,5 sm

Thickness of «LUX» profiles is 0,9 mm, which provides high strength of the rail compared to «Econom» profiles

▸ H-CONNECTING PROFILE «MINI»

The profile is suitable for any decorative panels 1,5-4 mm thick.



		Package size
3 m	25 pcs/pack	300x5x1 sm

▸ L-START PROFILE «MINI»

The profile is suitable for any decorative panels 1,5-4 mm thick.

		Package size
3 m	25 pcs/pack	300x5x1 sm

Color scheme for «Mini» profiles

- ▸ White
- ▸ Ivory
- ▸ Chocolade

▸ WHITE PVC FINISHING CORNERS

		Package size
2,7 m	25 pcs/pack	270x7x8 sm
3 m	25 pcs/pack	300x7x8 sm

▸ SQUARE PVC PERFORATED CORNER

		Package size
2,5 m	50 pcs/pack	255x9x5,5 sm
3 m	50 pcs/pack	301x9x5,5 sm

▸ ARCHED PVC PERFORATED CORNER



		Package size
2,5 m	50 pcs/pack	255x9x5,5 sm
3 m	50 pcs/pack	301x9x5,5 sm

▸ PVC PERFORATED CORNER WITH MESH



		Package size
2,5 m	25 pcs/pack	252x16x7 sm

▸ JOINT DISPLACEMENT ZINC-COATING INDICATOR



		Package size
3 m	100 pcs/pack	300x10x5 sm

▸ TILES BORDER

		Package size
1,8 m	35 pcs/pack	181x10x6 sm

▸ TILES BORDER

		Package size
1,8 m	35 pcs/pack	181x10x6 sm

▸ UNDER TILES BORDER

⟷		Package size
1,8 m	35 pcs/pack	181x10x6 sm

▸ UNDER TILES BORDER

⟷		Package size
1,8 m	28 pcs/pack	181x10x6 sm

▸ BORDER FOR BATHROOMS AND KITCHEN TABLETOPS

⟷		Package size
1,8 m	24 pcs/pack	181x10x6 sm

▸ LAYOUT FOR CERAMIC TILES



⟷		Package size
2,5 m	20 pcs/pack	250x3x8,5 sm



⟷		Package size
2,5 m	20 pcs/pack	250x4x8,5 sm

Color scheme for ceramic tiles layout

- ▸ White
- ▸ Ivory
- ▸ Sandy
- ▸ Light-pink
- ▸ Coffee
- ▸ Brick
- ▸ Chocolate
- ▸ Lagoon
- ▸ Sky-blue

DECORATIVE PROTECTIVE CORNERS

▸ COLORED FINISHING CORNERS





⟷	Package size 15x15 мм
2,75 m	275x2x5 sm
	Package size 20x20 sm
25 pcs/pack	275x3x6 sm

Color scheme for colored corners

- ▸ Grey
- ▸ Ivory
- ▸ Sandy
- ▸ Light-pink
- ▸ Coffee
- ▸ Brick
- ▸ Chocolate
- ▸ Lagoon
- ▸ Sky-blue

▸ FINISHING CORNERS WITH THE TEXTURE OF WOOD «LUX»



⟷	Package size 15x15 mm; 20x10 mm
2,75 m	275x2x5 sm
	Package size 20x20 mm
	275x3x6 sm
25 pcs/pack	Package size 25x25 mm; 30x30 mm
	275x4x6 sm

Color scheme for «LUX» corners

- **01** Light beech — 15x15, 20x10, 20x20, 25x25, 30x30
- **03** Dark beech — 15x15, 20x10, 20x20, 25x25, 30x30
- **04** Ruby oak — 15x15, 20x10, 20x20, 30x30
- **06** Natural oak — 15x15, 20x10, 20x20, 25x25, 30x30
- **07** Mahogany — 15x15, 20x10, 20x20, 30x30
- **11** Cherry — 15x15, 20x10, 20x20, 25x25, 30x30
- **16** Alder — 20x20
- **20** Red beech — 15x15, 20x10, 20x20, 25x25, 30x30
- **21** Dark mahogany — 15x15, 20x10, 20x20, 25x25, 30x30
- **26** Elm — 15x15, 20x10, 20x20, 25x25, 30x30
- **27** Black silver — 20x20
- **31** Whitened oak — 10x10, 15x15, 20x10, 20x20
- **36** Wenge — 10x10, 15x15, 20x10, 20x20, 30x30

▸ FINISHING CORNERS WITH THE TEXTURE OF WOOD «DELUXE»



2,7 m	Package size 15x15 mm; 20x10 mm
	275x2x5 sm
	Package size 20x20 mm
	275x3x6 sm
25 pcs/pack	Package size 25x25 mm; 30x30 mm
	275x4x6 sm

Color scheme for «LUX» corners



▸ TRANSPARENT FINISHING CORNERS «CRYSTAL»



2,7 m	Package size 15x15 mm; 20x10 mm
	275x2x5 sm
	Package size 20x20 mm
	275x3x6 sm
25 pcs/pack	Package size 25x25 mm; 30x30 mm
	275x4x6 sm

▸ EXTERNAL PVC CORNER FOR «HEAVY» WALLPAPERS

3 m	25 pcs/pack	Package size 300x3,7x5,5 sm

Unique incomparable in the Russian market profile!
Unique profile incomparable in the Russian market of finishing materials. With this profile you can make the external corner ideally even easily and without any effort. The corner allows to conceal all roughnesses on the border of corner junctions of wallpapers and to fix wallpapers securely, giving the room a noble and finished look.
The corner is resistant to abrasion, high temperatures and moisture threat. It has a special high strength structure of wall-sides and angle stiffener. If necessary, the corner can be painted in any colour.
Formaldehydes and lead free. The corner can be installed on any surface easily and securely.

▸ PVC RADIATOR GRILLS «LUX»

Plastic radiator grills made from PVC profile, are durable, water resistant, have high thermal stability and provide good air circulation, have no smell, are easy to wash. All elements of the construction have a robust profile. Grill colours match biggest-selling colours of floor skirting produced at our plant. The grills are manufactured by means of extrusion method using super-modern equipment. The rosettes have an individual vandal-proof package. Take minimum storage space. Easy installation and assembling. Convenient for the end consumer's home transportation.



Color scheme for PVC radiator grills «LUX»

▸ FLOOR DECORATIVE ROSETTES

Floor decorative rosettes are used for decorating gaps in the joint place of pipes and ceiling, ceiling and wall. The surface of the rosettes imitates the texture of wood.
The rosettes match standard pipe diameters (1 inch, ½ inch, ¾ inch).



2 pcs/pack	25 pcs/pack	Package size 15x15x20 sm

Color scheme for decorative rosettes



PROFILED PADDING

▸ Sheet padding IMS (5 mm)

«Parquet and parquet board». It is recommended that it should be used for premium class floors 12 mm thick and up.
Padding density 35 kg/m³; Sheet size 1.2*0.5 m; 10 sheets = 6 m² in thermo-pack;
7 thermo-packs = 42 m² in a transport box



▸ Sheet padding IMS (3 mm)

«Standart». It is recommended that it should be used for laminate floors 6–12 mm thick.

Padding density 40 kg/m³;
Sheet size: 1x0,5 m; 12 sheets = 6 m² in thermo-pack; 10 thermo-packs = 60 m² in a transport box
Sheet size: 1,2x0,5 m; 10 sheets = 6 m² in thermo-pack; 10 thermo-packs = 72 m² in a transport box





▸ Roll padding IMS (2 mm)

«Heat-insulated floor». It is recommended that it should be used when installing heat-insulated floor. Padding density: 55 kg/m³; Sheet size: 1,1x16 m; 17,6 m² in roll



▸ Sheet padding IMS (2 mm)

«Promo». Best price-quality ratio.
Padding density: 35 kg/m³; Sheet size: 1x0,5 m; 10 sheets = 5 m² in thermo-pack;



Possible colors

▸ Light-green ▸ Blue ▸ Orange ▸ Beige ▸ Graphit

▸ FOAMED EPS CROWN MOLDING

	2 m	Package size	201,5x31x21 sm

The molding is packed in thermo-film



▸ FOAMED EPS CROWN MOLDING

	2 m	Package size	202x31x21 sm



▸ EXTRUDED CROWN MOLDING

eco line PROMO

	2 m	Package size	201x30x20 sm



▸ EXTRUDED CROWN MOLDING

DECOLINE

	2 m	Package size	201x30x20-40 sm

▸ Q (100 pcs/pack)

▸ U (75 pcs/pack)

▸ V (60 pcs/pack)

▸ W (50 pcs/pack)

▸ P (65 pcs/pack)

▸ T1 (40 pcs/pack)

▸ Z (60 pcs/pack)

*Molding marked with this sign is suitable for stretch ceiling and LED lighting smooth surface fits flush with the stretch ceiling Increased adhesive surface fixes the molding securely to the wall

Corner elements are provided for «Decoline» molding marked with this sign

			Package size
Internal corner 4 pcs/pack	External corner 2 pcs/pack	10 pcs/pack 25 pcs/pack	40x39,5x29 sm

▸ CEILING ROSETTES

▸ D 301
Ø 480 mm (7 pcs/pack)

▸ D 303
Ø 430 mm (9 pcs/pack)

▸ D-304
Ø 410 mm (8 pcs/pack)

▸ D 305
Ø 380 mm (10 pcs/pack)

▸ D-306
Ø 310 mm (13 pcs/pack)

▸ D-308
Ø 290 mm (18 pcs/pack)

▸ D-307
Ø 290 mm (16 pcs/pack)

▸ D-313
Ø 210 mm (30 pcs/pack)

▸ D 312
Ø 210 mm (30 pcs/pack)

▸ D-310
Ø 270 mm (16 pcs/pack)

▸ D 311
Ø 270 mm (25 pcs/pack)

▸ D-309
Ø 285 mm (16 pcs/pack)

▸ DECORATIVE COLUMNS AND PILASTERS

Columns





Pilasters



▸ MULTIFUNCTION POLYMER ADHESIVE «TAIFUN»

The adhesive is used for clueing polystyrene goods, parquet, ceramics, wood, cork, fitted carpet, artificial leather, paper, textile, etc. The adhesive is used for clueing abovementioned materials to each other or other combinations, as well as for clueing these materials to concrete, cement-lime, plaster, stucco and brick surfaces. After drying out the adhesive makes a colorless watertight seam. Methanol free. Heat and water-resistant

▸ «TAIFUN» provides enhanced adhesive characteristics compared with other polymer adhesives (quick set, firm joint)
▸ Works in different temperature conditions
▸ Suitable for all kinds of finishing materials
▸ Service life - 3 years

▸ MULTIFUNCTION POLYMER ADHESIVE «EKO-HACET»

The adhesive is used for clueing polystyrene goods, parquet, ceramics, wood, cork, fitted carpet, artificial leather, paper, textile, etc. The adhesive is used for clueing abovementioned materials to each other or other combinations, as well as for clueing these materials to concrete, cement-lime, plaster, stucco and brick surfaces. After drying out the adhesive makes a colorless watertight seam. Methanol free. Heat and water-resistant.

	Package size		Package size		Package size
0,25 l 45 pcs/pack	40x26,5x20 sm	0,5 l 28 pcs/pack	36x26,5x26 sm	1 l 15 pcs/pack	38x25x27 sm

PVC PANELS «MOSAIC»

New thing in finishing materials collection. Panels are made of high-quality plastic. Panels are designed for interior finishing.
Field of application: interior surface finishing:
Splashback (operating temperature from -40°C to +80°C), walls of bathroom, lavatory, cloakrooms, wash-rooms, SPA-zones, any rooms with high humidity, interior decoration elements.

▸ Collection of panels «Millenium»

	10 pcs/pack	Package size	96x48x1 sm


▸ M-1


▸ M-2

▸ M-3

▸ M-4

▸ M-5

▸ M-6

▸ M-7


▸ M-8

▸ M-10

▸ M-11

▸ M-14

▸ M-15

▸ M-16

▸ M-17

▸ M-18

▸ M-19

▸ M-20

▸ M-21

▸ M-22

▸ M-23

▸ M-24

▸ M-25

▸ White tiles 2x2 **«Promo»***

▸ White tiles 9x9 **«Promo»***

***«Promo» panels package**

	30 pcs/pack	Package size	96x48x2 sm

«Promo» panels are best suited for combination with «Millenium» panels

▸ Collection of panels «Union»

	10 pcs/pack	Package size	96x48x1 sm

▸ Ю-1


▸ Ю-2


▸ Ю-3


▸ Ю-4


▸ Ю-5


▸ Ю-6


▸ Ю-7


▸ Ю-8


▸ Ю-9


▸ Ю-10


▸ Ю-13

DECORATIVE INTERIOR PANELS

Decorative panels smooth small surface roughnesses. Multi-functional use. Panels won't change color characteristics with time. Panels are produced with exact color rendering and shades transition. Resistant to abrasion and household chemicals containing no abrasives and acids. Easy and efficient in service. Application range is determined by following properties:
operating temperature: from -40°C to +40°C, panels survive short-term heating up to 80°C.

▸ Pomegranates

▸ Pebble



▸ Pearl

▸ Aquarium

▸ Bakery

▸ Glamour

▸ Orchids

▸ Coffee beans

▸ Bees

▸ Mountains

▸ Waterfall

▸ Honey

▸ Outdoor café

▸ Gerberas

▸ Poppies

▸ Tulips

▸ Fruit in the water

▸ Fruit

▸ Wheat

▸ Mosaic



▸ Dangling gardens

▸ Wine

▸ Coffee

▸ City


▸ The thousand and one nights

▸ Network

▸ Island

▸ TRADING EQUIPMENT AND PRODUCT SAMPLES



Stand for skirtings Ecoline, 60, 85 and trimmer



Stand for profiles up to 35 mm



Stand for door sills



Stand for PVC panels «Mosaic»

Ladder for trimmer with cable-conduit



Ladder for Ecoline skirting

Ladder for skirting 85 DKK MK

Ladder for foamed PVC trimmer

Ladder for skirting 60 DP MK semi-matt

Ladder for skirting 60 DP MK glossy

Samples of decorative panels

Mosaic samples



Stand for decorative panels

Samples of skirting Ecoline

Samples of skirting 85 ДКК МК

Samples of skirting 60 ДП МК

Samples of finishing profiles

Samples of decorative protective corners

Samples of foamed PVC profiles

Samples of profiles with cable-conduit

Samples of finishing profiles «Programme 14»

Samples of finishing profiles «Vostok»

Samples of floor rosettes



Stand for foamed EPS skirting «Dekor EK» 66x150 sm

Stand for extruded skirting «Decoline» 66x150 sm

Samples of skirting «Decoplast»

Samples of skirting «Ecoline»

Samples of skirting «Decoline»

Samples of skirting «Decor EK»

Stand for construction and finishing profiles 100x150 sm

Stand for «Programme 14» 66x150 sm

Stand for foamed EPS skirting «Decoplast» 100x100 sm

LLC «TK Decoplast M»
www.decoplast.ru

Export Department
tel./fax: +7 (495) 980 80 30, ext. 123
e-mail: sale13@decoplast.ru