

Time-tested quality

Products for interior finishing

product catalogue EXPORT/2017



Decoplast company has been operating in the market of finishing materials for home and office decoration since 1999.

The company's main direction is production and wholesale of finishing materials. Our dealer's network is successfully operating in all the regions of Russia, CIS and European countries. The company works to improve its quality products.

We introduce innovations to care for our customers' business and to stand first.

Company's culture has always been determined by the three priorities:

The client is first and foremost Respect for the individual Product quality We provide our partners with overall solutions.

Our object is stable profitableness for our partners regardless of the direction and range of their business. We are ready to provide our partners with overall solutions for their business effectiveness improvement. It enables us to reach a new level of our development.

Over the years in the market, our company has gained a reputation of a responsible and reliable partner.

Multilevel system of quality control enables us to manufacture products meeting international quality standards.

The company owns a transport fleet of various load capacities, which allows us to sort out any delivery problems flexibly and quickly.



Floor skirting «60»	
60 semi-matt 60 glossy	
50 g1033y	
Floor skirting	0
35 semi-matt	
35 glossy	11
Floor skirting Ecoline "Comfort-classic" collection	12
Decorative screens	15
Foamed PVC finishing decorative profile (door trim)	16
Finishing decorative profile with cable-conduit (door trim)	17
Programme 14 (profiles for furniture and walls)	18
Collection of profiles «Vostok»	20
General construction profiles	24
Decorative protective corners	26
Floor decorative rosettes	27
Aluminum profile (doorsills)	28
Ceiling plates	30
Ceiling panels	34
Crown molding	37
Adhesive	37
Decorative pilasters and columns	40
Ceiling rosettes	40
Bathtub screens	41
PVC panels «Mosaic»	42
Decorative interior panels	46
Laminate and parquet board padding	47
Trading equipment and product samples	48
Conceptions for retail outlets	52
"Product package" service	55



| 3-layer varnish coating produces 3D effect and secures the skirting from damage.
| Improved construction allows to paint walls and change wallpapers without dismantling the skirting.



package size 251x20x11 cm



FITTINGS FOR FLOOR SKIRTING 60/ SEMI-MATT







Bottom and top of the fitting edge have a special bevel for the aesthetic combination of skirting and fittings

	x 2	x 50	package size
N	25 packs/box	2 packs/box	20 x 15 x 15 cm
	25 packs/box	2 packs/box	20 x 15 x 15 cm
1	25 packs/box	2 packs/box	20 x 15 x 7 cm
1	25 packs/box	2 packs/box	20 x 15 x 7 cm
			package size
	50	20 packs/box	20,5x15x15 cm



COMFORTABLE WIRE TERMINATION

The connection has special slots for wire termination




The skirting is brand labeled to guarantee forgery protection.





color scheme for floor skirting «60 semi-matt»







floor skirting «60»





EDGE BEVEL



Bottom and top of the edge have a special bevel f aesthetic combination of s and fittings

fitting for the kirting	C
ge size	

COMFORTABLE WIRE TERMINATION

The connection has special slots for wire termination

	x 2	x 50	package size
A+E	25 packs/box	2 packs/box	45 x 23 x 11,5 cm
Ŋ	25 packs/box	2 packs/box	20 x 15 x 15 cm
1	25 packs/box	2 packs/box	20 x 15 x 7 cm
1	25 packs/box	2 packs/box	20 x 15 x 7 cm
			package size
_	50	20 nacks/hox	20.5x15x15 cm



The skirting is brand labeled to guarantee forgery protection.





color scheme for skirting 60 glossy





| The skirting has a double built-in increased cable conduit suitable for rewiring at any moment without dismantling the skirting litself. Soft edge of the skirting bears against the wall surface replicating the relief and prevents gaps between the wall and

←		package size
2,5 m	20 pcs/pack	251x20x11 cm



| FITTINGS FOR SKIRTING 85









package

45 x 23 x

20 x 15 x

20 x 15

20 x 15 x

package

20,5x15x15 cm

M EDGE BEVEL



+ 25 packs/box

25 packs/box

25 packs/box

Bottom and top of the fitting edge have a special bevel for the aesthetic combination of skirting and fittings

x 50

2 packs/box

2 packs/box

2 packs/box

2 packs/box

20 packs/box



COMFORTABLE WIRE TERMINATION

The connection has special slots for wire termination

size	
1,5 cm	#
15 cm	
7 cm	
7 cm	-),
size	

The skirting is brand labeled to guarantee forgery protection.






floor skirting «85»

8

FLOOR SKIRTING

«60 glossy»









color scheme for skirting «85 glossy»









85111 premier oak

FLOOR SKIRTING

85112 victoria oak

color scheme for skirting «85» color scheme for skirting «85 semi-matt»









Floor skirting Ecoline has an assembling optimal size (50*23 mm) and a robust keyed part of the cable conduit. Skirting colors match the most popular laminate and linoleum colors. Soft edge of the skirting bears against the wall surface, replicating the relief and prevents gaps between the wall and the skirting. Overlap angle between the wall and the floor makes 25 mm after installation. The skirting is easy to install by means of screw-driver or electronic tools.

"COMFORT-CLASSIC" Collection

←		package size	
2,5 m	45 pcs/pack	251x20x11 cm	







Internal corner

x 50

20 packs/box

25 packs/box 2 packs/box

25 packs/box 2 packs/box 25 packs/box 2 packs/box

25 packs/box 2 packs/box











color scheme for skirting «Ecoline»

-		
NEW	NEW NEW	NEW
	178 nordic	179 tuscany
177 wild cherry	178 noraic	179 tuscany
NEW	NEW	NEW
180 sherwood	181 chelsea oak	182 taurus
NEW		
		公司的
183 corsica	101 beech	105 granite
106 grey ash	107 countryside cherry	111 alder
		A SECTION AND ADDRESS OF
112 cherry	115 Countryside oak	117 nut
121 dark beech	122 red oak	125 walnut
127 elm	129 red beech	130 dark mahogany
		The Martin Control of the Control of
133 dark alder	136 wenge	137 black silver
		12

floor skirting «Ecoline»

12

160 teak

165 soho

171 jakarta

158 bing cherry

168 vegas



Decorative screens are considered the best solution for interior design. A broad field of application allows to hide radiator, switchboard and venting niches. They are easy to install, comfortable and durable.





 Individual 	anti-vandal	package

• Minimum	storage space
NA	1

 Maximum 	beneficial	l transportation
-----------------------------	------------	------------------

white panels size		package size
30x60 cm	1 pcs/pack	65x15x7 cm
60x60 cm	1 pcs/pack	65x15x7 cm
90x60 cm	1 pcs/pack	100x13x7 cm
120x60 cm	1 pcs/pack	125x16x7 cm
150x60 cm	1 pcs/pack	160x16x7 cm

PVC

WOOD-TEXTURE DECORATIVE SCREEN



	← 90 cm		120 cm
60 cm		♦ 00 cm	

Colour scheme for screens «LUX»

soho	hornbeam	antique oak	dark beech
dark alder	nut	wenge	

Colour scheme for screens «DeLuxe»

light oak	viscont oak	madrid oak	1
mokko oak	bourget oak	coffee oak	





decorative screens


162 country nut

166 lyon

176 caramel oak



Color scheme for PVC trimmer



Door trimmer with a special system of internal installation represents a figure plank for window and doorway framing as well as for any aperture decorating. Compared with traditional trimmer, the profile with a cable –conduit has a great advantage –facility to run telephone, computer, and electricity cables. This conceals the non-aesthetic cable tangle and provides additional isolation and protection against external damage. Hidden intertwining makes possible invisible trimmer installation.

←		package size
2,2 m	5 pcs/pack	221x7x6 cm

15 mm



Color scheme for profile with cable-conduit

FINISHING PROFILE (DOOR TRIM)



black leathe

FINISHING PROFILE (DOOR TRIM)

FOAMED PVC



Collection of profiles for interior finishing is designed to conceal gaps and junctions when assembling furniture boards, MDF panels, balcony finishing, decorating niches, arches and other elements. Wide field of application makes the profiles irreplaceable for the decoration process and in furniture assembling.

FOAMED CORNER





Designed for decorative corner finishing including doorways 👠 and windows. Ribbed inside surface provides tight adhesion.



←		package size
2,75 m	25 pcs/pack	277x10,5x7,5 cn

UNIVERSAL PROFILE (BEAD)



Used for decorative finishing of indoor internal corners, for decorating staircases, door jambs, interior corners finished by plastic and MDF panels, wood and tiles.

	←→		package size
10 mm	2,75 m	25 pcs/pack	277x9,4x4 cm
14 mm	2,75 m	25 pcs/pack	275x11,2x7 cm
18 mm	2,75 m	25 pcs/pack	275x14,4x9 cm

CORNER 3/4





Used for decoration of external indoor corners, pointed corners in children's rooms. Ribbed inside surface provides tight adhesion.

	14 mm
19 mm	-

←		package size
2,75 m	25 pcs/pack	277x10,5x7,5 cm

UNIVERSAL DECORATIVE INTERNAL CORNER





Used for finishing indoor internal corners of any geometry. Protects and decorates the corner. Corner package equipped with Euro Hang Tab is suitable for retail shops and takes little



2,75 m/roll	5 pcs/pack 30x17x20 cm	25 m/roll	1 pcs/pack 30x30x4,5 cm

"PROGRAMME 14"

profiles for walls and furniture

FINISHING T-PROFILE





Used for interior finishing in sheet jump joint (chipboard panels, MDF, PVC).

4	13 mm
10 mm	I

←		package size
2,75 m	25 pcs/pack	277x9,4x4 cm

INTERNAL FOAMED PROFILE «22» (FILLET)





Designed for decoration of internal corners in multi- purpose rooms. Also used for finishing internal corners between wall and ceiling, wall and tabletop, and between walls.

Used for chipboard end-face lining. Protects from moisture and

mechanical damage. Provides high-class strength and wear-

30 Mil	22 mm
22 mm	

←		package size
2,75 m	25 pcs/pack	277x10,5x7,5 cm

C-SHAPED PVC-FIRM FURNITURE EDGE






21 mm

←		package size
2,75 m	25 pcs/pack	277x9,4x4 cm

C-SHAPED PVC-SOFT FURNITURE EDGE







16 mm

wenge

Used for chipboard end-face lining. Protects from moisture and mechanical damage. Provides high-class strength and wear-resistance.

5 m/roll	5 pcs/pack 23x21x13 см	10 m/roll	1 pcs/pack 23x21x13 cm

Color scheme for "Programme 14"



resistance.



Collection of profiles «Vostok» for interior finishing is designed to conceal gaps and junctions when assembling furniture boards, MDF panels, balcony finishing, decorating niches and other elements. Wide field of application makes the profiles irreplaceable for the decoration process and in furniture assembling.

25 mm

FOAMED CORNER



Designed for decorative corner finishing including doorways and windows. Ribbed inside surface provides tight adhesion.

←		package size
2,75 m	25 pcs/pack	275x7x8 cm

color scheme








UNIVERSAL PROFILE (BEAD)



Used for decorative finishing of indoor internal corners, for decorating staircases, doorjambs, interior internal corners finished by plastic and MDF panels, wood and tiles.

←		package size
2,75 m	25 pcs/pack	275x8x5 cm

color scheme



COLLECTION OF PROFILES

"VOSTOK"

INTERNAL FOAMED PROFILE «22» (FILLET)



The profile is designed for interior and exterior finishing. It is best suited for decorating gaps during doors and window installation, in decoration radiator grills, edging, frames, etc.

←		package size
2,75 m	25 pcs/pack	275x4x7 cm

color scheme

color scheme



wenge black



Used for decoration of external indoor corners, pointed corners in children's rooms. Ribbed inside surface provides tight adhesion.

←		package size
2,75 m	20 pcs/pack	275x8x8 cm
- AI		

nut

ivory mahogany

black

DECORATIVE FINISHING PROFILE (TRIMMER)



The profile is designed for interior and exterior finishing. It is best suited for decorating gaps during doors and window installation, in decoration radiator grills, edging, frames, etc.

←		package size
2,2 m	35 pcs/pack	225x21x12 cm

color scheme

collection of profiles

wenge

Charles Charles Charles Charles	机工业和自由的工作的社员	est lateral lament lament to
meta centa c	mahogany	nut
	· 本 48 本 48 本 48 本 4	

wenge black

20



L-PROFILE «LUX»

Start-and-finish profile for finishing joint places of panels with doorway and window apertures, panel end faces and for finishing window jambs.

F-PROFILE «LUX»

Multi-purpose profile for edging end-face corners of HDF, MDF, PVC panels, sandwich panels, shift-over from wall panels to ceiling panels, in window and doorway finishing.





EÌ €
25 mm

←		package size
3 m	25 pcs/pack	301x1,4x4,5 cm

←→	60 mm	35 mm	package size
3 m	15 pcs/pack	20 pcs/pack	301x1,4x4,5 cm

Thickness of «LUX» profiles is 0,9 mm, which provides high strength of the rail compared to «Econom» profiles

TARTING PROFILE «ECONOM»




10-01 OVS		
	<u>+</u>	
	10 mm	
	*	

← →		package size
3 m	100 pcs/pack	300x20x20 cm

PROFILE DOCKING «ECONOMY»





general construction profiles

←		package size
3 m	50 pcs/pack	300x18x18 cm

PROFILES

EXTERNAL PROFILE «ECONOM»





_
ı
J

←		package size
3 m	50 pcs/pack	300x19x19 cm


←		package size
3 m	50 pcs/pack	300x16x16 cm

general construction

PROFILE INTERNAL «ECONOM»

skirting «ECONOM»







←		package size
3 m	50 pcs/pack	300x20x20 cm

←		package size
3 m	50 pcs/pack	300x18x18 cm

H-CONNECTING PROFILE «MINI»


The profile is suitable for any decorative panels 1,5-4 mm thick.

L-START PROFILE «MINI»

The profile is suitable for any decorative panels 1,5-4 mm thick.









←		package size
3 m	25 pcs/pack	300x5x1 cm

← →		package size
3 m	25 pcs/pack	300x5x1 cm

Color scheme for «Mini» profiles







←		package size
2,7 m	25 шт./уп.	270x7x8 cm
3 m	25 pcs/pack	300x7x8 cm

SQUARE PVC PERFORATED CORNER






←		package size
2,5 m	50 pcs/pack	255x9x5,5 cm
3 m	50 pcs/pack	301x9x5,5 cm


PVC PERFORATED CORNER WITH MESH






←→ ☆		package size	
2,5 m	25 pcs/pack	252x16x7 cm	

ANGLE PERFORATED ZINCED





←		package size
3 m	100 pcs/pack	300x10x5 cm

ARCHED PVC PERFORATED CORNER





pac s		package size
2,5 m	50 pcs/pack	255x9x5,5 cm
3 m	50 pcs/pack	301x9x5,5 cm


JOINT DISPLACEMENT ZINC-COATING INDICATOR





pac s		package size
3 m	100 pcs/pack	300x10x5 cm

ANGLE PERFORATED ALUMINUM





←		package size
3 m	200 pcs/pack	300x10x7 cm

TILES BORDER



←→ ☆		package size	
1,8 m	35 pcs/pack	181x10x6 cm	

UNDER TILES BORDER



←	←→ 1	
1,8 m	35 pcs/pack	181x10x6 cm

TILES BORDER



UNDER TILES BORDER



←		package size
1,8 m	28 pcs/pack	181x10x6 cm

BORDER FOR BATHROOMS AND KITCHEN TABLETOPS









← →		package size
1,8 m	24 pcs/pack	181x10x6 cm

LAYOUT FOR CERAMIC TILES









←		package size
2,5 m	20 pcs/pack	250x3x8,5 cm

←→		package size	
2,5 m	20 pcs/pack	250x4x8,5 cm	


Color scheme

white	ivory	sandy	light-pink	coffee
brick	chocolate	lagoon	sky-blue	

PROFILES


general construction

Color scheme



FINISHING CORNERS WITH THE TEXTURE OF WOOD «LUX





JX»	
←→	package size 15x15 mm; 20x10 mm;
	275х2х5 см
2,75 m	package size 20x20 mm
	275x3x6 cm
	package size 25x25 mm; 30x30 mm
25 pcs/pack	275x4x6 cm

15x15 20x20 30x30

Color scheme «LUX»


PVC

DECORATIVE PROTECTIVE CORNERS

01 light beech	20x10 20x20 25x25 30x30	03 dark beech	15x15 20x10 20x20 30x30	06 natural oak	15x15 20x10 20x20 25x25 30x30	07 Mahogany	
20 red beech	15x15 20x10 20x20 25x25 30x30	21 dark mahogany	20x10 20x20 25x25	26 elm	20x20 25x25 30x30	27 black silver	
31 whitened oak	15x15 20x10 20x20 30x30	36 wenge	15x15 20x10 20x20 30x30				

WOOD TEXTURE FINISHING CORNERS «DELUXE»






←→	package size 15x15 mm; 20x10 mm;
	270x2x5 cm
2,7 m	package size 20x20 mm
	270x3x6 cm
	package size 25x25 mm; 30x30 mm
25 pcs/pack	270x4x6 cm

olor scheme for «DELUXE» corners

			18-18 P	
graphite oak	northern oak	shiro oak		louvre oak
cacao	oak	viscont oak	madrid oak	


TRANSPARENT FINISHING CORNERS «CRYSTAL»






package size 10x10 mm							
270x1,3x4,5 cm							
package size 15x15 mm							
270x2x5 cm							
package size 20x10 mm							
270x2,1x4,5 cm							
package size 20x20 mm							
270x2,6x5,2 cm							

EXTERNAL PVC CORNER FOR «HEAVY» WALLPAPERS





Unique incomparable in the Russian market profile!

Unique profile incomparable in the Russian market of finishing materials. With this profile you can make the external corner ideally even easily and without any effort. The corner allows to conceal all roughnesses on the border of corner junctions of wallpapers and to fix wallpapers securely, giving the room a noble and finished look.

 $^{\parallel}$ The corner is resistant to abrasion, high temperatures and moisture threat. It has a special high strength structure of wallsides and angle stiffener. If necessary, the corner can be painted in any colour. Formaldehydes and lead free. The corner | can be installed on any surface easily and securely.

FLOOR DECORATIVE ROSETTES





Aluminum profiles (doorsills) are designed to hide compensation joints, junctions of floor coverings, to decorate conversions between floor coverings, giving the interior a finished look. Due to material strength, aluminum doorsills withstand considerable daily mechanical pressure in the places with high traffic intensity.

A WI

A WIDE RANGE OF COLOURS

Allows selecting a profile for any floor covering.

Doorsills coating does not depend on fixation type.

Colour scheme matches the most popular colours of Decoplast TM floor skirting.

AESTHETIC DESIGN

Decorative covering has a 3-layer nano-coating with protective varnish.



ASSEMBLING IS EASY AND STEADY

The doorsills are stocked with fixing elements of optimal size – 3.5*40 mm. Self-drilling screw (fired pin) totally rests in a slot with an open fixing.



MINIMUM INVESTMENTS

The doorsills come 0,9 and 1,8 m long, 6 pieces in the package. The doorsills 2,7 m long come 10 pieces in the package.

	ALC: NO.	
←		package size
0,9 m	6 pcs/pack	962x94x40 mm
1,8 m	6 pcs/pack	1850x95x40 mm
2,7 m	10 pcs/pack	2770x94x40 mm

				DECOR	ATIVE (OVERI	NG												LA	MINAT	ED COV	ERING			
«doorsills»	ATYPE																								
0	denomination	light oak	vanilla oak	grey ash	magnate oak	northern oak	carpathian fir tree	caramel oak	rustic oak	louvre oak	finnish oak	red oak	bourget oak	alaska oak	old oak	wenge	soho oak	whitened oak	brittany oak	smoky oak	viscont oak	swedish oak	gtold oak	mocco oak	coffee oak
ψ	Hidden fastening 0,9		✓	✓	✓	✓	✓	✓	✓	✓	\	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8 mm m m m m m m m m m m m m m m m m m		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	m ←→ 2,7		✓	✓	✓	✓	✓	✓	✓	>	>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	\checkmark
쁘	№23 Open fastening m o,9		✓	✓	✓	✓	✓	✓	✓	\	>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	~
INUM PROFILE	8 mm m m m m m m m m m m m m m m m m m	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
MON	m ←→ 2,7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

ARTICLES DECRYPTION:

C – concealed fixation, O – open fixation, №11, 23, – profile type, L – laminated coating, D – decorated coating, 0,9; 1,8; 2,7 – profile length


Example «Pro&ile O-23-D-0,9 Wenge decorated»

Corresponds with: profile 0,9 m long with an open fixation and decorated coating, colour - wenge

ALUMINUM PROFILE



PVC profiles (doorsills) are designed to hide compensation joints, junctions of floor coverings, to decorate conversions between floor coverings, giving the interior a finished look. Due to material strength, PVC doorsills withstand considerable daily mechanical pressure in the places with high traffic intensity.



Guaranteed low price for PVC TM Decoplast door sills

AESTHETIC DESIGN

Allows to select a profile for any kind of floor covering



ANTI-VANDAL COATING

3-layer nano-coating with protective varnish providing long-term product service



UNIQUE ENHANCED FIXATION

The door sills are equipped with fixing elements of optimal size – 3.5*40 mm. Self-drilling screw (fired pin) comes tight in a profile with a concealed fixation.



package size

962x94x40 mm

1850x95x40 mm

10 pcs/pack | 2770x94x40 mm

6 pcs/pack

6 pcs/pack

0,9 m

1,8 m

2,7 m

MINIMUM INVESTMENTS

The door sills by length 0,9 m and 1,8 m, come 6 pieces in the package. The door sills by length 2,7 m come 10 pieces in the package.



ADVANCED TECHNOLOGIES

Decorated door sills are produced at supermodern american conveyor line for multi-layer profile decoration with the power of up to 200 000 km per month

		COLC	UR			DEC	CORA	ΓED SE	MI-MA	TT CO	ATING	i								D	ECOR/	ATED (GLOSS	Y COA	TING					LAM	INATE	D COA	TING	
Hidde	of fastening											Section 1														A STATE OF THE STA	A TOTAL STREET, STREET	A Company of the Comp						
deno	mination	graphit oak	e light oak	royal oak	vienna oak	natural oak	louvre oak	northern oak	modern oak	gray oak	madrid oak	red oak	mocco oak	cacao oak	alaska oak	dark oak	premier oak	elite oak	elegant oak	triumph oak	baroque oak	victoria oak	magnate oak	bourbon oak	royal oak	renais sance oak	vintage oak	valois oak	soho oak	whitened oak	smoky oak	viscont oak	gtold oak	coffe oak
ANTE	0,	•	~	~	~	~	✓	~	~	✓	~	~	>	~	✓	✓	~	✓	✓	✓	~	✓	✓	~	>	✓	~	>	✓	~	>	>	~	~
100	n 1,	m	~	~	~	✓	✓	✓	✓	✓	~	✓	~	✓	~	~	~	✓	~	✓	~	~	~	✓	✓	✓	✓	✓	~	✓	✓	✓	✓	✓
tans w	2,		✓	~	✓	✓	✓	~	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

ARTICLES DECRYPTION:

C – concealed fixation

Pm – decorated semi-matt coating


GI – decorated glossy coating

L – laminated coating, 0,9; 1,8; 2,7 – profile length

Example «Pro&ile PVC C-1-Gl-0,9 glossy, Baroque oak»

Corresponds with: profile 0,9 m long with concealed fixation and decorated glossy coating, colour - Baroque oak












"IMS"











CEILING TILES "Painted"


58x51x51 cm package size











U-23-133 (30 m²)



U-23-701 (30 m²)







U-24-16 (30 m²)




ceiling tiles

CEILING TILES









VIVI

M4-18 (360 pcs.)

M5-18 (360 pcs.)

M4-08 (360 pcs.)

CEILING SKIRTING EXTRUSION

DECOLINE

W (50 pcs.)

M5-08 (360 pcs.)

Size		
D (115 pcs.)	© 40 MM. D1 (80 pcs.)	Q 70 ms D2 (90 pcs.)
E (185 pcs.)	E1 (120 pcs.)	E2 (105 pcs.)
H1 SC (70 pcs.)*	I SC (100 pcs.) *	(60 pcs.)*
IC SC (80pcs.)*	(3) SC (70 pcs.)*	14 (55 pcs.)
M (270 pcs.)	Q (100 pcs.)	S (45 pcs)

V (60 pcs.)





* Molding marked with this sign is suitable for stretch ceiling and LED lighting smooth surface fits flush with the stretch ceiling Increased adhesive surface fixes the molding securely to the wall





Corner elements are provided for «Decoline» molding marked with this sign





ı				package size
I	Inner corner 4 pcs/pack	outside corner 2 pcs/pack	10 pcs/pack 25 pcs/pack	40x39,5x29 cm

ADHESIVE



MULTIFUNCTION POLYMER ADHESIVE "TAIFUN"

The adhesive is used for clueing polystyrene goods, parquet, ceramics, wood, cork, fitted carpet, artificial leather, paper, textile, etc. The adhesive is used for clueing abovementioned materials to each other or other combinations, as well as for clueing these materials to concrete, cement-lime, plaster, stucco and brick surfaces. After drying out the adhesive makes a colorless watertight seam. Methanol free. Heat and water-resistant

- "TAIFUN" provides enhanced adhesive characteristics compared with other polymer

adhesives (quick set, firm joint)

Works in different temperature conditionsSuitable for all kinds of finishing materials

- Service life 3 years



MULTIFUNCTION POLYMER ADHESIVE "EKO-HACET

The adhesive is used for clueing polystyrene goods, parquet, ceramics, wood, cork, fitted carpet, artificial leather, paper, textile, etc. The adhesive is used for clueing abovementioned materials to each other or other combinations, as well as for clueing these materials to concrete, cement-lime,

plaster, stucco and brick surfaces. After drying out the adhesive makes a colorless watertight seam. Methanol free.

Heat and water-resistant.

U (75 pcs.)

CEILING SKIRTING



CEILING SKIRTING



D 305

Ø 380 mm

(10 pcs/pack)

D-309

Ø 285 mm

(16 pcs/pack)


D-313


Ø 210 mm

(30 pcs/pack)

Kapitell D2

Kapitell G





light brown marble

decorative






"Mosaic" PVC panels


New thing in finishing materials collection. Panels are made of high-quality plastic. Panels are designed for interior finishing. Field of application: interior surface finishing:









W-5 peppermint




W-7 camomile




W-4 cosmos



W-6 forget-me-not



W-8 edelweiss














M-17















M-6

10 pcs/pack











M-18




White tiles 2×2 «Promo»

U-4

U-18












U-19











rattan oak/ wenge


dark/light madeira

garden











denomination	size	In the roll / Packaging	In transport Box / Coils packaged	D	дБ sound absorption	*** thermal insulation	absorption of moisture	sustainability to loads	corrects
«Standart»	m	m²	m²	kg/m³	dB	m² KW	%	t/m²	mm
Sheet padding Decoplast (3 mm) It is recommended that it should be used for laminate floors 6-12 mm thick	1×0,5	10 sheets 5 m²	10 termo- packs 50 m²	20	22	0,18 Opt Prices	0,5 imal ratio and quality	before 9	2,5
Roll padding	m	m²	m²	kg/m³	dB	m² KW	%	t/m²	mm
Roll padding IMS (2 mm) «Heat-insulated floor» It is recommended that is should be used when installing heat-insulated floor.	1,1×16	1 roll 17,6 m²	1 roll 17,6 m²	55	20		0,5 density for f acreased loa		1,8
«Promo»	m	m²	m²	kg/m³	dB	m² KW	%	t/m²	mm
Sheet padding IMS (2 mm) Best price-quality ratio.	1×0,5	10 sheets 5 m ²	17 termo- packs 85 m²	35	18	0,17	0,5	before 8	1,8



SUBSTANCE IS ENVIRONMENTALLY SAFE



THE SERVICE LIFE IS NOT LIMITED



ANY SUBSID IMS AND DECOPLAST FROM POLYSTYRENE, INCREASES THE TERM **SERVICES OF FLOOR COATINGS ONE AND A HALF TIMES**

profiled padding




Stand for profiles 85/12 Decoplast LUX (skirting 85)



Stand for profiles 60/17 Decoplast LUX (skirting 60, door trim)



Stand for profiles 52/20 Decoplast LUX (Ecoline skirting)



Stand for accessories **Decoplast LUX**



Stand for profiles 35/29 Decoplast LUX



Stand for profiles 5-20/25 Decoplast LUX ("Vostok" collection)



We produce foldable stands of our own design for a better visual demonstration of our products to the end customer. The stands have a big strength and reliability reserve.

Stand for decorative

panels Decoplast LUX

Foldable stand structure enables to pack them in a universal, compact and solid box of two nominal sizes and makes it easy to transport, store and keep.




Stand for profiles 85/12 Decoplast LUX Stand for profiles 60/17 Decoplast LUX Stand for profiles 52/20 Decoplast LUX Stand for profiles 35/29 Decoplast LUX Stand for profiles 5-20/25 Decoplast LUX Stand for doorsills 3/72 Decoplast LUX

Stand for accessories Decoplast LUX

Stand for mosaic PVC

Decoplast LUX



Stand for sliding doors

Stand for decorative screens Decoplast LUX Stand for decorative screens Decoplast LOX Stand for decorative panels Decoplast LUX Stand 64×64 for "Fairy-tale" mosaic Stand for mosaic PVC Decoplast







Samples of skirting 60



Samples of skirting 85



Samples of skirting Ecoline



Samples of foamed PVC profiles



Samples of profiles with cable-conduit



Ladder for Ecoline skirting

Bocmow @

БАГЕТ ДЕКОРАТИВНЫЙ

Stand «Vostok» 60x100

Samples of decorative

samples

bathtub screens

protective corners



60 glossy



Ladder for skirting 85 glossy



Samples of profiles Aluminum (doorsills)



"Mosaic" Presenter



Ladder for skirting 60 semi-matt

B W-B



Samples of decorative

Samples of finishing

Samples of finishing

profiles «Programme 14»

profiles «Vostok»



samples of decorative screens



Samples of floor rosettes



Samples of finishing profiles



Mosaic samples



Stand for construction and finishing profiles 100x150 cm



Stand for foamed EPS skirting «Dekor EK» 66x150 sm



retail store equipment



Stand for «Programme 14» 66x150 sm

ТЛИНТУС ПОТОЛОЧНЫЙ

-

Stand for foamed EPS skirting

«IMS» 66x150 sm




Stand for decorative

УГЛЫ ОТДЕЛОЧНЫЕ



TM Decoplast 60x100 см





Wall stand foamed **EPS** skirting «Decor EK» 63×100 cm



Wall stand extruded skirting «Decoline» 63×100 cm



Samples of skirting Decoplast



Samples of skirting Decor IMS

Samples

of skirting

Decor EK



«Decoline»

CONCEPTION

56

retail

WELL-STRUCTURED GOODS LAYOUT AND BRAND-ZONE EMPHASIS GUARANTEE SALES GROWTH 30% MINIMUM!

"Mini skirting" conception



Most demanded colours of floor skirting.

Ecoline skirting "Comfort-Classic" collection (20 articles) Skirting "60" (18 articles) Skirting "85" (12 articles)



area 🐳	number of titles
2,5 m²	50 pcs

"Glossy skirting" conception

Matches the most popular laminate and linoleum colours.



1,7 m²

"vostok" conception

Low-cost analogue for decorative interior molding, artificially aged, fake-gold-look.



Internal foamed profile "22" (fillet) VOSTOK (5 articles)
Decorative finishing profile VOSTOK (5 articles)
Universal profile BEAD VOSTOK (5 articles)
EXTERNAL foamed corner VOSTOK (5 articles)
Semicircular profile PVC corner ¾ VOSTOK (5 articles)



area 🐳	number of titles
0,8 m²	25 pcs

"SEMI-MATT skirting" conception

Matches the most popular laminate and linoleum colours. Collection of Ecoline skirting "Comfort-Classic" (40 articles) Skirting "60" semi-matt (36 articles) Skirting "85" (12 articles)

number

of titles

30 pcs



area 🐳	number of titles
4,7 m²	100 pcs





100.000000	

"OPTIMUM corners" conception



Overall solution for external corners finishing indoors, which allows to satisfy the requirements of the most demanding customers.

Foamed corners (14 articles) Corners ¾ (4 articles) "Deluxe" Corners (20 articles) "Luxe" Corners (10 articles) White corners (5 articles) Transparent corners (4 articles) Corners for "heavy" wallpapers (1 article)



area 🐳	number of titles
1,7 m²	58 pcs

"MAXIMUM corners" conception

Overall solution for decorating external indoor corners, which allows to satisfy the requirements of the most demanding customers.

yWhite corners (9 articles); decorative coloured corners (18 articles)
"LUX" corners (38 articles); "Deluxe" corners (35 articles); "Crystal" corners (4 articles)
Corner for "heavy" wallpaper (1 article); Foamed corners (14 articles); Corners ¾ (14 articles)



area 🛶	number of titles
4 m²	133 pcs



"Decorative screens" conception

A al sv ni

A broad field of application allows to hide radiator, switchboard and venting niches.



A wide range of colours allows selecting a doorsill for any floor covering.

number of titles



area 🛶	number of titles
0,8 m²	42 pcs

M	area 🐳	
profit om 100%	0,8 m²	

"DOORSILLS" conception


Range of colours 100% matches the most trending colours of furniture boards and MDF-panels. A broad field of application makes the profiles indispensable during decoration and furniture assembling.

Universal profile "BEAD" (14 articles)
Foamed corners (14 articles)
Internal foamed profile "Fillet" (10 articles)
Corners ¾ (10 articles)
Finishing T-profile (5 articles)
C-shaped firm furniture edge (5 articles)



area 🛶	number of titles
1,7 m²	58 pcs

"Programme 14 OPTIMUM" conception



Range of colours 100% matches the most trending colours of furniture boards and MDF-panels. A broad field of application makes the profiles indispensable during decoration and furniture assembling.

C-shaped soft furniture edge in blisters (5 m) (14 articles) Universal internal corners in blisters (2,75 m) (14 articles) Foamed corners (14 articles) Internal foamed profile "Fillet" (5 articles) Corners ¾ (3 articles) Finishing T-profile (3 articles) Universal profile "BEAD" (14 articles) "Programme 14 MAXIMUM" conception




area 🛶	number of titles
1,7 m²	67 pcs

"Programme 14 MAXIMUM" conception

Range of colours 100% matches the most trending colours of furniture boards and MDF-panels. A broad field of application makes the profiles indispensable during decoration and furniture assembling



area 🛶	number of titles
3,2 m²	140 pcs



Foamed corners (14 articles)
Corners ¾ (14 articles)
Internal foamed profile "Fillet" (14 articles)
Universal profile "BEAD" (14 articles)
Finishing T-profile (14 articles)
C-shaped firm furniture edge (14 articles)
C-shaped soft furniture edge (10 m) (14 articles)
Universal internal corners (25 m) (14 articles)
C-shaped soft furniture edge in blisters (5 m)
(14 articles)
Universal internal corners in blisters (2,75 m)
(14 articles)

"Product package" service

Decoplast company has developed and implemented the service of packing manufactured products. Package service guarantees goods delivery up to the shop-shelf safe and sound.

All the conceptions on offer are packed on special trays and ready for delivery by any means of transport with minimum expenses. Upon purchasing a certain conception, the customer gets 100% packed on tray product and a show-stand, which serves as a shop-window and a storage facility at the same time.







Decorative interior panels (aprons) are packed in a cardboard box ten pieces in pack. In assortment. Air-bubbling film is layed on the bottom of the box. Panels are layed onto the film (under 10pieces). After laying, the panels are covered with an air-bubbling film and the box is closed with a top. Packed box is scotch-glued circularly in 3-5 places for the best top and bottom fixation.









Decoplast company has developed a special transport package for the most comfortable transportation of "Mosaic" PVC panels. "Mosaic" PVC panels come 10 packs in a cardboard box. (in assortment)









Packed box is scotch-glued for a safe fixation.

To provide safety of goods during transportation to place delivery, we have worked out special long pallets for laying linear articles. Special laying, strapping and stretching of collected rigid pallet provide goods at-place delivery without defects.

















